

80% WG

Fosetyl-aluminium

s e > o

80% WG

فوستيل ألومنيوم

فوستيل ألومنيوم

80% WG

s e > o

1 KG Net

e , t e , Z

مبيد فطري جهازى يعمل عن طريق تثبيط إنزيمات الجراثيم أو عن طريق منع نمو الفطريات والأبواغ ،
يعتص بسرعة من خلال أوراق النبات أو جذوره ، بالانتقال داخل النبات من القمة النامية إلى الجذور .

Active Ingredient :

Fosetyl-aluminium ٠.٨٪
Inert ٠.٢٪
Total ٠.٠١٪

المكونات :

p zo 5l # ys è
doht 03tSt
çost

KEEP LOCKED UP OUT OF REACH OF CHILDREN

#tdb6t #9tzzo c tz § ds.

رقم التسجيل في وزارة البيئة والتغير المناخي : AUD-AD-140-1687312



Agent:

شركة الجوري للمواد الزراعية
AL JOURI AGRICUL TURAL MATERIALS

AlAin - Khalefa Street
Showroom : +٩٦٦ ٤٤٥٦٦٦٧٣
www.aljouriamc.com

Fosetyl-aluminium

80% WG

SAFETY PRECAUTIONS

Handle with care.

Poisonous when swallowed, inhaled or absorbed through the skin.

Keep out of reach of children, pregnant, uninformed persons and animals.

Do not contaminate water, food, or feed by storage and disposal.

WARNING PHRASES

Avoid contamination of food, feed, drinking water. Wash equipment after use. Do not use empty containers for any other purposes.

FIRST AID

Skin contact: Remove contaminated clothing and wash skin thoroughly with water.

Eyes Contact: Immediately flush eyes with flowing water. Obtain medical attention.

Inhalation: Remove source of contamination or move victim to fresh air. Obtain medical advice if necessary.

Ingestion: Call a poison control center immediately. Do not give any liquid to the person. Do not induce vomiting unless told to do. Do not give anything by mouth to an unconscious person.

STORAGE AND DISPOSAL

Storage : Store in original container, unopened, in a cool, dry place, away from food, feeds and seed.

Pesticide disposal : Open dumping or burning of this pesticide is prohibited. Do not contaminate rivers, dams or any other water sources. Comply with local legislation applying to waste disposal in UAE.

Container disposal: Combustible containers should be disposed in pesticide incinerators or buried in an approved landfill. Containers are not to be reused and should be punctured and transported for recycling or disposal.

Fosetyl-aluminium

80% WG

طريقة الاستخدام

لا ترش عند الإزهار. لا ترش عند هبوب الرياح أو قبل المطر مباشرة. قم بخلط الكمية المطلوبة مع كمية صغيرة من الماء لتكوين معلق متجانس. يجب رش خليط الرش المحضر على الفور وعدم تركه. يجب أن يكون البخاخ في حالة عمل جيدة.

Directions for use.

Do not apply when flowering. Do not spray when wind blowing or right before raining. Pre-mix the required amount with a small volume of water to create a homogenous suspension. Prepared spray mixture must be sprayed immediately and not be left. The sprayer must be in good working order.

Crop	Pest	Rate GM/100 liter of Water	PHI
Cucumber, watermelon, melon, squash, z9 zc , #aš , ts Z , Cucumber, watermelon, melon, squash, squash , Onions , Grapes and lettuce	Downy mildew	200-250	7 Days
Tomatoes, pepper	Root rot, Wilt	250	7 Days
fruits before fruiting stage	Root rot	250	14 Days

- لا تدخل أو تسمح للعامل بدخول المناطق المعالجة خلال فترة الدخول المقيدة لمدة ٣١ ساعة.
DO NOT entry or allowed worker entry into treated areas during the restricted-entry interval of 12 hours.

Agent:

c t , 5t 3tb5 , ht Z

AL JOURI AGRICUL TURAL MATERIALS

AlAin - Khalefa Street
Showroom : +٩٦٦ ٤٤٥٦٦٦٧٣
www.aljouriamc.com

Manufacturer: Limin Chemical Co., Ltd , China

فوستيل ألومنيوم

80% WG

100

احتياطات الأمان :

- التعامل مع المنتج بعناية .
- سام عند البلع أو الاستنشاق أو التشرع عبر الجلد.
- يحفظ بعيدا عن متناول الأطفال والحوامل والأفراد غير النظاميين والحيوانات.
- لا تلوث الماء أو الطعام أو الأعلاف المخزنة و التخلص من العبوة.
- عبارات تحذيرية :